

DIN 963 (04/1985) *


EN 2009 (09/1996) **

COUNTERSUNK HEAD SCREW SLOTTED

METAALSCHROEF VERZONKEN KOP MET ZAAGGLEUF

VIS A METAUX TÊTE FRAISÉE FENDUE

SENKSCRAUBE MIT SCHLITZ



material : Steel class 4.8	materiaal : Staal klasse 4.8	matière : Acier classe 4.8	Werkstoff : Stahl Klasse 4.8
type : standard	type : standaard	type : standard	Typ : normalmass
surface : zinc plated Cr3+	oppervlak : verzinkt Cr3+	surface : zingué Cr3+	Oberfläche : verzinkt Cr3+


* Cancelled since 09/1996 ** Not identical
 * Vervallen vanaf 09/1996 ** Niet uitwisselbaar
 * Retiré à partir de 09/1996 ** Pas identique
 * Veraltet ab 09/1996 ** Nicht austauschbar

Technical properties | Technische gegevens | Données techniques | Technische Daten

M	b1	dk max.	k max.	n max.	t max.
M 3	19	5.6	1.65	1	0.85
M 4	22	7.5	2.2	1.2	1.1
M 5	25	9.2	2.5	1.51	1.3
M 6	28	11	3	1.91	1.6
M 8	34	14.	4	2.31	2.1
M 10	40	18	5	2.81	2.6

M x l	OLD CODE	NEW CODE	EAN	BOX
3 x 6	00963,03006 Z	000963001003000063	5410439065665	200
3 x 8	00963,03008 Z	000963001003000083	5410439065696	200
3 x 10	00963,03010 Z	000963001003000103	5410439065733	200
3 x 12	00963,03012 Z	000963001003000123	5410439065764	200
3 x 16	00963,03016 Z	000963001003000163	5410439065795	200
3 x 20	00963,03020 Z	000963001003000203	5410439065832	200
3 x 25	00963,03025 Z	000963001003000253	5410439065870	200
3 x 30	00963,03030 Z	000963001003000303	5410439065900	200
3 x 35	00963,03035 Z	000963001003000353	5410439065931	200
3 x 40	00963,03040 Z	000963001003000403	5410439065955	200
3 x 45	00963,03045 Z	000963001003000453	5410439145602	200
3 x 50	00963,03050 Z	000963001003000503	5410439065979	200
3 x 60	00963,03060 Z	000963001003000603	5410439065986	200
4 x 8	00963,04008 Z	000963001004000083	5410439066037	200
4 x 10	00963,04010 Z	000963001004000103	5410439066075	200
4 x 12	00963,04012 Z	000963001004000123	5410439066105	200
4 x 16	00963,04016 Z	000963001004000163	5410439066136	200
4 x 20	00963,04020 Z	000963001004000203	5410439066174	200
4 x 25	00963,04025 Z	000963001004000253	5410439066211	200
4 x 30	00963,04030 Z	000963001004000303	5410439066259	200
4 x 35	00963,04035 Z	000963001004000353	5410439066280	200
4 x 40	00963,04040 Z	000963001004000403	5410439066310	200
4 x 50	00963,04050 Z	000963001004000503	5410439066341	200
4 x 60	00963,04060 Z	000963001004000603	5410439066365	200

M x l	OLD CODE	NEW CODE	EAN	BOX
5 x 10	00963,05010 Z	000963001005000103	5410439066440	200
5 x 12	00963,05012 Z	000963001005000123	5410439066471	200
5 x 16	00963,05016 Z	000963001005000163	5410439066501	200
5 x 20	00963,05020 Z	000963001005000203	5410439066549	200
5 x 25	00963,05025 Z	000963001005000253	5410439066587	200
5 x 30	00963,05030 Z	000963001005000303	5410439066624	200
5 x 35	00963,05035 Z	000963001005000353	5410439066648	200
5 x 40	00963,05040 Z	000963001005000403	5410439066686	200
5 x 45	00963,05045 Z	000963001005000453	5410439104319	200
5 x 50	00963,05050 Z	000963001005000503	5410439066716	200
5 x 60	00963,05060 Z	000963001005000603	5410439066730	200
5 x 80	00963,05080 Z	000963001005000803	5410439217460	200
6 x 10	00963,06010 Z	000963001006000103	5410439066778	200
6 x 12	00963,06012 Z	000963001006000123	5410439066808	200
6 x 16	00963,06016 Z	000963001006000163	5410439066846	200
6 x 20	00963,06020 Z	000963001006000203	5410439066884	200
6 x 25	00963,06025 Z	000963001006000253	5410439066921	200
6 x 30	00963,06030 Z	000963001006000303	5410439066969	200
6 x 35	00963,06035 Z	000963001006000353	5410439066990	200
6 x 40	00963,06040 Z	000963001006000403	5410439067034	200
6 x 45	00963,06045 Z	000963001006000453	5410439107877	200
6 x 50	00963,06050 Z	000963001006000503	5410439067072	200
6 x 60	00963,06060 Z	000963001006000603	5410439067096	200
6 x 70	00963,06070 Z	000963001006000703	5410439217477	200



material : Steel class 4.8	materiaal : Staal klasse 4.8	matière : Acier classe 4.8	Werkstoff : Stahl Klasse 4.8
type : standard	type : standaard	type : standard	Typ : normalmass
surface : zinc plated Cr3+	oppervlak : verzinkt Cr3+	surface : zingué Cr3+	Oberfläche : verzinkt Cr3+

M x l	OLD CODE	NEW CODE	EAN	BOX
6 x 80	00963,06080 Z	000963001006000803	5410439217484	200
8 x 16	00963,08016 Z	000963001008000163	5410439067119	200
8 x 20	00963,08020 Z	000963001008000203	5410439067140	200
8 x 25	00963,08025 Z	000963001008000253	5410439067171	200
8 x 30	00963,08030 Z	000963001008000303	5410439067201	200

M x l	OLD CODE	NEW CODE	EAN	BOX
8 x 35	00963,08035 Z	000963001008000353	5410439067225	200
8 x 40	00963,08040 Z	000963001008000403	5410439089388	200
8 x 50	00963,08050 Z	000963001008000503	5410439067270	200
8 x 60	00963,08060 Z	000963001008000603	5410439067294	100
10 x 30	00963,10030 Z	000963001010000303	5410439067348	100

DIN 963 (04/1985) *


EN 2009 (09/1996) **

COUNTERSUNK HEAD SCREW SLOTTED

METAALSCHROEF VERZONKEN KOP MET ZAAGGLEUF

VIS A METAUX TÊTE FRAISÉE FENDUE

SENKSCHRAUBE MIT SCHLITZ



material : Brass	materiaal : Messing	matière : Laiton	Werkstoff : Messing
type : standard	type : standaard	type : standard	Typ : normalmass
surface : plain	oppervlak : blank	surface : brut	Oberfläche : roh


* Cancelled since 09/1996 ** Not identical
 * Vervallen vanaf 09/1996 ** Niet uitwisselbaar
 * Retiré à partir de 09/1996 ** Pas identique
 * Veraltet ab 09/1996 ** Nicht austauschbar

Technical properties | Technische gegevens | Données techniques | Technische Daten

M	b1	dk max.	k max.	n max.	t max.
M 2	16	3.8	1.2	0.7	0.6
M 3	19	5.6	1.65	1	0.85
M 4	22	7.5	2.2	1.2	1.1
M 5	25	9.2	2.5	1.51	1.3
M 6	28	11	3	1.91	1.6
M 8	34	14.	4	2.31	2.1
M 10	40	18	5	2.81	2.6

M x l	OLD CODE	NEW CODE	EAN	BOX
2 x 4	00963,02004 MS	000963MS000200004Z	5410439140447	200
2 x 6	00963,02006 MS	000963MS000200006Z	5410439140454	200
2 x 8	00963,02008 MS	000963MS000200008Z	5410439140461	200
2 x 10	00963,02010 MS	000963MS000200010Z	5410439140478	200
2 x 12	00963,02012 MS	000963MS000200012Z	5410439140485	200
2 x 16	00963,02016 MS	000963MS000200016Z	5410439140492	200
2 x 20	00963,02020 MS	000963MS000200020Z	5410439140508	200
3 x 4	00963,03004 MS	000963MS000300004Z	5410439140522	200
3 x 5	00963,03005 MS	000963MS000300005Z	5410439144742	200
3 x 6	00963,03006 MS	000963MS000300006Z	5410439065658	200
3 x 8	00963,03008 MS	000963MS000300008Z	5410439065689	200
3 x 10	00963,03010 MS	000963MS000300010Z	5410439065719	200
3 x 12	00963,03012 MS	000963MS000300012Z	5410439065757	200
3 x 16	00963,03016 MS	000963MS000300016Z	5410439065788	200
3 x 20	00963,03020 MS	000963MS000300020Z	5410439065818	200
3 x 25	00963,03025 MS	000963MS000300025Z	5410439065856	200
3 x 30	00963,03030 MS	000963MS000300030Z	5410439065894	200
3 x 40	00963,03040 MS	000963MS000300040Z	5410439153195	200
3 x 50	00963,03050 MS	000963MS000300050Z	5410439140539	200
4 x 6	00963,04006 MS	000963MS000400006Z	5410439066006	200
4 x 8	00963,04008 MS	000963MS000400008Z	5410439066020	200
4 x 10	00963,04010 MS	000963MS000400010Z	5410439066051	200
4 x 12	00963,04012 MS	000963MS000400012Z	5410439066099	200

M x l	OLD CODE	NEW CODE	EAN	BOX
4 x 16	00963,04016 MS	000963MS000400016Z	5410439066129	200
4 x 20	00963,04020 MS	000963MS000400020Z	5410439066150	200
4 x 25	00963,04025 MS	000963MS000400025Z	5410439066198	200
4 x 30	00963,04030 MS	000963MS000400030Z	5410439066235	200
4 x 35	00963,04035 MS	000963MS000400035Z	5410439066273	200
4 x 40	00963,04040 MS	000963MS000400040Z	5410439066303	200
4 x 50	00963,04050 MS	000963MS000400050Z	5410439066334	200
5 x 8	00963,05008 MS	000963MS000500008Z	5410439066396	200
5 x 10	00963,05010 MS	000963MS000500010Z	5410439066426	200
5 x 12	00963,05012 MS	000963MS000500012Z	5410439066464	200
5 x 16	00963,05016 MS	000963MS000500016Z	5410439066495	200
5 x 20	00963,05020 MS	000963MS000500020Z	5410439066525	200
5 x 25	00963,05025 MS	000963MS000500025Z	5410439066563	200
5 x 30	00963,05030 MS	000963MS000500030Z	5410439066600	200
5 x 40	00963,05040 MS	000963MS000500040Z	5410439066662	200
5 x 50	00963,05050 MS	000963MS000500050Z	5410439066709	200
5 x 60	00963,05060 MS	000963MS000500060Z	5410439118712	200
6 x 10	00963,06010 MS	000963MS000600010Z	5410439066754	200
6 x 12	00963,06012 MS	000963MS000600012Z	5410439066792	200
6 x 16	00963,06016 MS	000963MS000600016Z	5410439066822	200
6 x 20	00963,06020 MS	000963MS000600020Z	5410439066860	200
6 x 25	00963,06025 MS	000963MS000600025Z	5410439066907	200
6 x 30	00963,06030 MS	000963MS000600030Z	5410439066945	200



material : Brass	materiaal : Messing	matière : Laiton	Werkstoff : Messing
type : standard	type : standaard	type : standard	Typ : normalmass
surface : plain	oppervlak : blank	surface : brut	Oberfläche : roh

M x l	OLD CODE	NEW CODE	EAN	BOX
6 x 35	00963,06035 MS	000963MS000600035Z	5410439066983	200
6 x 40	00963,06040 MS	000963MS000600040Z	5410439067010	200
6 x 50	00963,06050 MS	000963MS000600050Z	5410439067058	200
6 x 60	00963,06060 MS	000963MS000600060Z	5410439118729	200
6 x 70	00963,06070 MS	000963MS000600070Z	5410439140546	200
8 x 12	00963,08012 MS	000963MS000800012Z	5410439118736	100
8 x 16	00963,08016 MS	000963MS000800016Z	5410439118743	100
8 x 20	00963,08020 MS	000963MS000800020Z	5410439118750	100
8 x 25	00963,08025 MS	000963MS000800025Z	5410439118767	100
8 x 30	00963,08030 MS	000963MS000800030Z	5410439118774	100

M x l	OLD CODE	NEW CODE	EAN	BOX
8 x 35	00963,08035 MS	000963MS000800035Z	5410439213745	100
8 x 40	00963,08040 MS	000963MS000800040Z	5410439118781	100
8 x 45	00963,08045 MS	000963MS000800045Z	5410439213752	100
8 x 50	00963,08050 MS	000963MS000800050Z	5410439118798	100
8 x 60	00963,08060 MS	000963MS000800060Z	5410439118804	100
10 x 20	00963,10020 MS	000963MS001000020Z	5410439118811	100
10 x 25	00963,10025 MS	000963MS001000025Z	5410439118828	100
10 x 30	00963,10030 MS	000963MS001000030Z	5410439118835	100
10 x 35	00963,10035 MS	000963MS001000035Z	5410439213769	100
10 x 40	00963,10040 MS	000963MS001000040Z	5410439118842	100

DIN 963 (04/1985) *


EN 2009 (09/1996) **

COUNTERSUNK HEAD SCREW SLOTTED

METAALSCHROEF VERZONKEN KOP MET ZAAGGLEUF

VIS A METAUX TÊTE FRAISÉE FENDUE

SENKSCHRAUBE MIT SCHLITZ



material : Nylon PA6	materiaal : Nylon PA6	matière : Nylon PA6	Werkstoff : Nylon PA6
type : standard	type : standaard	type : standard	Typ : normalmass
surface : natural colour	oppervlak : natuurkleur	surface : couleur naturel	Oberfläche : naturel

* Cancelled since 09/1996 ** Not identical
 * Vervallen vanaf 09/1996 ** Niet uitwisselbaar
 * Retiré à partir de 09/1996 ** Pas identique
 * Veraltet ab 09/1996 ** Nicht austauschbar

Technical properties | Technische gegevens | Données techniques | Technische Daten

M	b1	dk max.	k max.	n max.	t max.
M 3	19	5.6	1.65	1	0.85
M 4	22	7.5	2.2	1.2	1.1
M 5	25	9.2	2.5	1.51	1.3
M 6	28	11	3	1.91	1.6
M 8	34	14.	4	2.31	2.1

M x l	OLD CODE	NEW CODE	EAN	BOX
3 x 10	00963,03010 N	000963N00003000105	5410439065726	200
3 x 16	00963,03016 N	000963N00003000165	5410439153515	200
3 x 20	00963,03020 N	000963N00003000205	5410439065825	200
4 x 10	00963,04010 N	000963N00004000105	5410439066068	200
4 x 12	00963,04012 N	000963N00004000125	5410439153522	200
4 x 16	00963,04016 N	000963N00004000165	5410439153539	200
4 x 20	00963,04020 N	000963N00004000205	5410439066167	200
4 x 25	00963,04025 N	000963N00004000255	5410439066204	200
4 x 30	00963,04030 N	000963N00004000305	5410439066242	200
5 x 10	00963,05010 N	000963N00005000105	5410439066433	200
5 x 16	00963,05016 N	000963N00005000165	5410439153546	200

M x l	OLD CODE	NEW CODE	EAN	BOX
5 x 20	00963,05020 N	000963N00005000205	5410439066532	200
5 x 30	00963,05030 N	000963N00005000305	5410439066617	200
6 x 16	00963,06016 N	000963N00006000165	5410439066839	200
6 x 20	00963,06020 N	000963N00006000205	5410439066877	200
6 x 25	00963,06025 N	000963N00006000255	5410439066914	200
6 x 30	00963,06030 N	000963N00006000305	5410439066952	200
6 x 40	00963,06040 N	000963N00006000405	5410439067027	200
8 x 20	00963,08020 N	000963N00008000205	5410439067133	200
8 x 30	00963,08030 N	000963N00008000305	5410439067195	200
8 x 40	00963,08040 N	000963N00008000405	5410439067249	200

DIN 963 (04/1985) *


EN 2009 (09/1996) **

COUNTERSUNK HEAD SCREW SLOTTED

METAALSCHROEF VERZONKEN KOP MET ZAAGGLEUF

VIS A METAUX TÊTE FRAISÉE FENDUE

SENKSCHRAUBE MIT SCHLITZ



material : Stainless steel A2	materiaal : Roestvast staal A2	matière : Inox A2	Werkstoff : Edelstahl A2
type : standard	type : standaard	type : standard	Typ : normalmass
surface : plain	oppervlak : blank	surface : brut	Oberfläche : roh

* Cancelled since 09/1996 ** Not identical
 * Vervallen vanaf 09/1996 ** Niet uitwisselbaar
 * Retiré à partir de 09/1996 ** Pas identique
 * Veraltet ab 09/1996 ** Nicht austauschbar

Technical properties | Technische gegevens | Données techniques | Technische Daten

M	b1	dk max.	k max.	n max.	t max.
M 3	19	5.6	1.65	1	0.85
M 4	22	7.5	2.2	1.2	1.1
M 5	25	9.2	2.5	1.51	1.3
M 6	28	11	3	1.91	1.6

M x l	OLD CODE	NEW CODE	EAN	BOX
3 x 6	00963,03006 A2	000963A00003000063	5410439065641	200
3 x 8	00963,03008 A2	000963A00003000083	5410439065672	200
3 x 10	00963,03010 A2	000963A00003000103	5410439065702	200
3 x 12	00963,03012 A2	000963A00003000123	5410439065740	200
3 x 16	00963,03016 A2	000963A00003000163	5410439065771	200
3 x 20	00963,03020 A2	000963A00003000203	5410439065801	200
3 x 25	00963,03025 A2	000963A00003000253	5410439065849	200
3 x 30	00963,03030 A2	000963A00003000303	5410439065887	200
3 x 35	00963,03035 A2	000963A00003000353	5410439065917	200
3 x 40	00963,03040 A2	000963A00003000403	5410439065948	200
3 x 45	00963,03045 A2	000963A00003000453	5410439140034	500
4 x 6	00963,04006 A2	000963A00004000063	5410439065993	200
4 x 8	00963,04008 A2	000963A00004000083	5410439066013	200
4 x 10	00963,04010 A2	000963A00004000103	5410439066044	200
4 x 12	00963,04012 A2	000963A00004000123	5410439066082	200
4 x 16	00963,04016 A2	000963A00004000163	5410439066112	200
4 x 20	00963,04020 A2	000963A00004000203	5410439066143	200
4 x 25	00963,04025 A2	000963A00004000253	5410439066181	200
4 x 30	00963,04030 A2	000963A00004000303	5410439066228	200
4 x 35	00963,04035 A2	000963A00004000353	5410439066266	200
4 x 40	00963,04040 A2	000963A00004000403	5410439066297	200
4 x 50	00963,04050 A2	000963A00004000503	5410439066327	200
5 x 6	00963,05006 A2	000963A00005000063	5410439066372	200
5 x 8	00963,05008 A2	000963A00005000083	5410439066389	200
5 x 10	00963,05010 A2	000963A00005000103	5410439066419	200

M x l	OLD CODE	NEW CODE	EAN	BOX
5 x 12	00963,05012 A2	000963A00005000123	5410439066457	200
5 x 16	00963,05016 A2	000963A00005000163	5410439066488	200
5 x 20	00963,05020 A2	000963A00005000203	5410439066518	200
5 x 25	00963,05025 A2	000963A00005000253	5410439066556	200
5 x 30	00963,05030 A2	000963A00005000303	5410439066594	200
5 x 35	00963,05035 A2	000963A00005000353	5410439066631	200
5 x 40	00963,05040 A2	000963A00005000403	5410439066655	200
5 x 45	00963,05045 A2	000963A00005000453	5410439104302	200
5 x 50	00963,05050 A2	000963A00005000503	5410439066693	200
5 x 60	00963,05060 A2	000963A00005000603	5410439066723	200
5 x 70	00963,05070 A2	000963A00005000703	5410439100465	200
5 x 80	00963,05080 A2	000963A00005000803	5410439100472	200
6 x 10	00963,06010 A2	000963A00006000103	5410439066747	200
6 x 12	00963,06012 A2	000963A00006000123	5410439066785	200
6 x 16	00963,06016 A2	000963A00006000163	5410439066815	200
6 x 20	00963,06020 A2	000963A00006000203	5410439066853	200
6 x 25	00963,06025 A2	000963A00006000253	5410439066891	200
6 x 30	00963,06030 A2	000963A00006000303	5410439066938	200
6 x 35	00963,06035 A2	000963A00006000353	5410439066976	200
6 x 40	00963,06040 A2	000963A00006000403	5410439067003	200
6 x 45	00963,06045 A2	000963A00006000453	5410439100489	200
6 x 50	00963,06050 A2	000963A00006000503	5410439067041	200
6 x 60	00963,06060 A2	000963A00006000603	5410439067089	200
6 x 70	00963,06070 A2	000963A00006000703	5410439100496	200
6 x 80	00963,06080 A2	000963A00006000803	5410439343008	200